

**SMARTLIGHT QUALIFYING PRODUCTS**  
**GE Reduced-Wattage T8 and T5 Lamps**

Valid April 1st, 2010 - December 31st, 2010

Last Updated: 09/28/10

Mfr	Product Name	Watts	Order Code	Model Number or Description	Color Temp (K)	Rated Life (hrs) <sup>1</sup>		Initial Lumens	Mean Lumens	CRI	Lumen Maintenance	Distributor Rebate Amount
						IS	RS/PRS					
GE	Watt Miser	15	72132	F1718XLSPX30WMEC	3000	18,000	24,000	1200	1130	85	94%	\$2.00
GE	Watt Miser	15	72133	F1718XLSPX35WMEC	3500	18,000	24,000	1200	1130	85	94%	\$2.00
GE	Watt Miser	15	72134	F1718XLSPX41WMEC	4100	18,000	24,000	1200	1130	82	94%	\$2.00
GE	Watt Miser	15	72135	F1718XLSPX50WMEC	5000	18,000	24,000	1175	1105	80	94%	\$2.00
GE	Watt Miser	22	72136	F2518XLSPX30WMEC	3000	18,000	24,000	1925	1810	85	94%	\$2.00
GE	Watt Miser	22	72137	F2518XLSPX35WMEC	3500	18,000	24,000	1925	1810	85	94%	\$2.00
GE	Watt Miser	22	72138	F2518XLSPX41WMEC	4100	18,000	24,000	1925	1810	82	94%	\$2.00
GE	Watt Miser	22	72139	F2518XLSPX50WMEC	5000	18,000	24,000	1900	1785	80	94%	\$2.00
GE	Watt Miser	25	72128	F3218/25WSPX30EC	3000	36,000	40,000	2400	2256	85	94%	\$2.00
GE	Watt Miser	25	72129	F3218/25WSPX35EC	3500	36,000	40,000	2400	2256	85	94%	\$2.00
GE	Watt Miser	25	72130	F3218/25WSPX41EC	4100	36,000	40,000	2400	2256	85	94%	\$2.00
GE	Watt Miser	25	72131	F3218/25WSPX50EC	5000	36,000	40,000	2350	2209	80	94%	\$2.00
GE	Watt Miser	28	72863	F2818/XLSPX30ECO	3000	30,000	36,000	2725	2562	85	94%	\$2.00
GE	Watt Miser	28	72864	F2818/XLSPX35ECO	3500	30,000	36,000	2725	2562	85	94%	\$2.00
GE	Watt Miser	28	72866	F2818/XLSPX41ECO	4100	30,000	36,000	2725	2562	82	94%	\$2.00
GE	Watt Miser	28	72867	F2818/XLSPX50ECO	5000	30,000	36,000	2625	2463	80	94%	\$2.00
GE	Watt Miser	30	72114	F3218SPX30U6WMEC	3000	24000	30000	2800	2632	85	94%	\$2.00
GE	Watt Miser	30	72115	F3218SPX35U6WMEC	3500	24000	30000	2800	2632	85	94%	\$2.00
GE	Watt Miser	30	72116	F3218SPX41U6WMEC	4100	24000	30000	2800	2632	85	94%	\$2.00
GE	Watt Miser	54	47076	F9618/XL/SP35WMP	3500	24,000	30,000	5800	5450	83	94%	\$2.00
GE	Watt Miser	54	47103	F9618/XL/SP41WMP	4100	24,000	30,000	5800	5450	81	94%	\$2.00
GE	T5 WATT MISER	13	71632	F1415/830/WM/ECO	3000		25,000	1350	1240	85	92%	\$2.00
GE	T5 WATT MISER	13	71633	F1415/835/WM/ECO	3500		25,000	1350	1240	85	92%	\$2.00
GE	T5 WATT MISER	13	71634	F1415/841/WM/ECO	4100		25,000	1350	1240	85	92%	\$2.00
GE	T5 WATT MISER	13	71635	F1415/850/WM/ECO	5000		25,000	1300	1190	85	92%	\$2.00
GE	T5 WATT MISER	13	71636	F1415/865/WM/ECO	6500		25,000	1250	1150	85	92%	\$2.00
GE	T5 WATT MISER	20	71637	F2115/830/WM/ECO	3000		25,000	2100	1930	85	92%	\$2.00
GE	T5 WATT MISER	20	71638	F2115/835/WM/ECO	3500		25,000	2100	1930	85	92%	\$2.00
GE	T5 WATT MISER	20	71639	F2115/841/WM/ECO	4100		25,000	2100	1930	85	92%	\$2.00
GE	T5 WATT MISER	20	71640	F2115/850/WM/ECO	5000		25,000	2000	1840	85	92%	\$2.00
GE	T5 WATT MISER	20	71641	F2115/865/WM/ECO	6500		25,000	1950	1790	85	92%	\$2.00
GE	T5 WATT MISER	26	71642	F2815/830/WM/ECO	3000		25000	2900	2660	85	92%	\$2.00
GE	T5 WATT MISER	26	71643	F2815/835/WM/ECO	3500		25000	2900	2660	85	92%	\$2.00
GE	T5 WATT MISER	26	71644	F2815/841/WM/ECO	4100		25000	2900	2660	85	92%	\$2.00
GE	T5 WATT MISER	26	71645	F2815/850/WM/ECO	5000		25000	2750	2530	85	92%	\$2.00
GE	T5 WATT MISER	26	71646	F2815/865/WM/ECO	6500		25000	2700	2480	85	92%	\$2.00
GE	T5 WATT MISER	33	71647	F3515/830/WM/ECO	3000		25000	3650	3350	85	92%	\$2.00
GE	T5 WATT MISER	33	71648	F3515/835/WM/ECO	3500		25000	3650	3350	85	92%	\$2.00
GE	T5 WATT MISER	33	71649	F3515/841/WM/ECO	4100		25000	3650	3350	85	92%	\$2.00
GE	T5 WATT MISER	33	71650	F3515/850/WM/ECO	5000		25000	3500	3220	85	92%	\$2.00
GE	T5 WATT MISER	33	71651	F3515/865/WM/ECO	6500		25000	3400	3120	85	92%	\$2.00
GE	T5 WATT MISER	51	71627	F5415/830/WM/ECO	3000		25,000	5000	4600	85	92%	\$2.00
GE	T5 WATT MISER	51	71628	F5415/835/WM/ECO	3500		25,000	5000	4600	85	92%	\$2.00
GE	T5 WATT MISER	51	71629	F5415/841/WM/ECO	4100		25,000	5000	4600	85	92%	\$2.00
GE	T5 WATT MISER	51	71630	F5415/850/WM/ECO	5000		25,000	4790	4410	85	92%	\$2.00
GE	T5 WATT MISER	51	71631	F5415/865/WM/ECO	6500		25,000	4790	4370	85	91%	\$2.00

<sup>1</sup> Life based on 3-hr. duty cycle

**SMARTLIGHT QUALIFYING PRODUCTS**  
**GE Halogen Infrared and Reduced-Wattage Metal-Halide Lamps**

Valid April 1st, 2010 - December 31st, 2010

Last Updated: 09/28/10

Mfr	Product Name	Type	Beam Angle	Volts	Watts	Order Code	Model Number or Description	Color Temp (K)	Rated Life (hrs)	Lumens	CBCP	Distributor Rebate Amount
GE	HIR	PAR38	6°	120	50	40937	50PAR/HIR/SP6	2810	3000	800	20,000	\$6.00
GE	HIR	PAR38	9°	120	50	12396	50PAR/HIR/SP9	2810	3000	800	16,000	\$6.00
GE	HIR	PAR38	25°	120	50	12397	50PAR/HIR/FL25	2810	3000	800	3,400	\$6.00
GE	HIR	PAR38	25°	130/120	50/46	22850	50PAR/HIR/FL25	2810	3000/6000	800/600	3,400	\$6.00
GE	HIR	PAR38	10°	120	60	18627	60PAR/HIR/SP10	2850	3000	1050	17,000	\$6.00
GE	HIR	PAR38	10°	130/120	60/54	18629	60PAR/HIR/SP10	2850	3000/6000	1050/800	17,000	\$6.00
GE	HIR	PAR38	30°	120	60	18626	60PAR/HIR/FL30	2850	3000	1050	2,800	\$6.00
GE	HIR	PAR38	30°	130/120	60/54	18628	60PAR/HIR/FL30	2850	3000/6000	1050/800	2,800	\$6.00
GE	HIR	PAR38	40°	120	60	10467	60PAR/HIR/FL40	2850	3000	1050	1,700	\$6.00
GE	HIR	PAR38	WFL	120	60	20947	60PAR/HIR/WFL	2850	3000	1050	-	\$6.00
GE	HIR	PAR38	WFL	130/120	60/54	20948	60PAR/HIR/WFL	2850	3000/6000	1050/800	-	\$6.00
GE	HIR	PAR38	10°	120	70	46367	70PAR/HIR/SP10	2900	3000	1260	19,000	\$6.00
GE	HIR	PAR38	10°	130/120	70/64	46369	70PAR/HIR/SP10	2900	3000/6000	1260/950	19,000	\$6.00
GE	HIR	PAR38	25°	120	70	46368	70PAR/HIR/FL25	2900	3000	1260	4,700	\$6.00
GE	HIR	PAR38	25°	130/120	70/64	46370	70PAR/HIR/FL25	2900	3000/6000	1260/950	4,700	\$6.00
GE	HIR	PAR38	10°	120	80	27216	80PAR/HIR/SP10	2900	3000	1500	22,000	\$6.00
GE	HIR	PAR38	12°	120	80	27217	80PAR/HIR/SP12	2900	3000	1500	17,500	\$6.00
GE	HIR	PAR38	25°	120	80	27218	80PAR/HIR/FL25	2900	3000	1500	5,000	\$6.00
GE	HIR	PAR38	10°	120	100	11885	100PAR/HIR/SP10	2900	3000	2030	30,000	\$6.00
GE	HIR	PAR38	10°	130/120	100/88	18636	100PAR/HIR/SP10	2900	3000/6000	2030/1470	30,000	\$6.00
GE	HIR	PAR38	25°	120	100	18631	100PAR/HIR/FL25	2900	3000	2030	7,000	\$6.00
GE	HIR	PAR38	25°	130/120	100/88	18633	100PAR/HIR/FL25	2900	3000/6000	2030/1470	7,000	\$6.00
GE	HIR	PAR38	40°	120	100	10473	100PAR/HIR/FL40	2900	3000	2030	3,400	\$6.00
GE	HIR XL	PAR38	40	120	45	40790	45PAR/HIR/FL40XL	2680	6000	600	1300	\$6.00
GE	HIR XL	PAR38	40	120	55	40792	55PAR/HIR/FL40XL	2680	6000	800	2000	\$6.00
GE	HIR XL	PAR38	40	120	90	40791	90PAR/HIR/FL40XL	2800	6000	1470	2800	\$6.00
GE	HIR XL	PAR38	12	120	45	40793	45PAR/HIR/SP12XL	2680	6000	600	7000	\$6.00
GE	HIR XL	PAR38	12	120	55	40794	55PAR/HIR/SP12XL	2680	6000	800	9000	\$6.00
GE	HIR XL	PAR38	12	120	90	40795	90PAR/HIR/SP12XL	2800	6000	1470	17000	\$6.00
GE	HIR Plus	PAR38	10°	120	45	90512	45PAR/HIR+/SP10	2810	4200	870	14100	\$6.00
GE	HIR Plus	PAR38	25°	120	45	90513	45PAR/HIR+/FL25	2810	4200	870	3500	\$6.00
GE	HIR Plus	PAR38	10°	120	48	90515	48PAR/HIR+/SP10	2810	4200	970	15500	\$6.00
GE	HIR Plus	PAR38	25°	120	48	90519	48PAR/HIR+/FL25	2810	4200	970	3800	\$6.00
GE	HIR Plus	PAR38	10°	120	55	71446	55PAR/HIR+/SP10	2810	4200	1120	17500	\$6.00
GE	HIR Plus	PAR38	25°	120	55	71598	55PAR/HIR+/FL25	2810	4200	1120	4100	\$6.00
GE	HIR Plus	PAR38	10°	120	60	90520	60PAR/HIR+/SP10	2810	4200	1260	19000	\$6.00
GE	HIR Plus	PAR38	25°	120	60	90529	60PAR/HIR+/FL25	2810	4200	1260	4700	\$6.00
GE	HIR Plus	PAR38	10°	120	67	90601	67PAR/HIR+/SP10	2810	4200	1500	22000	\$6.00
GE	HIR Plus	PAR38	25°	120	67	90602	67PAR/HIR+/FL25	2810	4200	1500	5000	\$6.00
GE	HIR Plus	PAR38	10°	120	83	90605	83PAR/HIR+/SP10	2810	4200	2030	30000	\$6.00
GE	HIR Plus	PAR38	25°	120	83	90606	83PAR/HIR+/FL25	2810	4200	2030	7000	\$6.00
GE	Compact HIR	PAR30S	9	120	45	41545	45PAR30HIR/SP9XL	2680	6000	620	9750	\$6.00
GE	Compact HIR	PAR30S	25	120	45	41547	45PAR30HIR/FL25X	2680	6000	620	2025	\$6.00
GE	Compact HIR	PAR30S	35	120	45	41550	45PAR30HIR/FL35X	2680	6000	620	1125	\$6.00
GE	Compact HIR	PAR30S	9°	120	50	19902	50PAR30HIR/SP9	2810	4000	825	15000	\$6.00
GE	Compact HIR	PAR30S	25°	120	50	19901	50PAR30HIR/FL25	2810	4000	825	3200	\$6.00
GE	Compact HIR	PAR30S	25°	130/120	50/46	21533	50PAR30HIR/FL25	2810	3000/6000	825/620	3200	\$6.00
GE	Compact HIR	PAR30S	35°	120	50	19900	50PAR30HIR/FL35	2810	4000	825	2700	\$6.00

**SMARTLIGHT QUALIFYING PRODUCTS**  
**GE Halogen Infrared and Reduced-Wattage Metal-Halide Lamps**

Valid April 1st, 2010 - December 31st, 2010

Last Updated: 09/28/10

Mfr	Product Name	Type	Beam Angle	Volts	Watts	Order Code	Model Number or Description	Color Temp (K)	Rated Life (hrs)	Lumens	CBCP	Distributor Rebate Amount
GE	Compact HIR	PAR30S	30°	130/120	50/46	19903	50PAR30/HIR/FL35	2810	3000/6000	825/620	2700	\$6.00
GE	Precise IR	MR16	10	12	20	28709	Q20MR16/HIR/CG10	3000	5000		6000	\$6.00
GE	Precise IR	MR16	25	12	20	28710	Q20MR16/HIR/CG25	3000	5000		2300	\$6.00
GE	Precise IR	MR16	35	12	20	28718	Q20MR16/HIR/CG35	3000	5000		1000	\$6.00
GE	Precise IR	MR16	10°	12	37	16715	Q37MR16/HIR/CG10	3000	5000		12500	\$6.00
GE	Precise IR	MR16	25°	12	37	16716	Q37MR16/HIR/CG25	3000	5000		4400	\$6.00
GE	Precise IR	MR16	40°	12	37	16717	Q37MR16/HIR/CG40	3000	5000		2050	\$6.00
GE	Precise IR	MR16	10°	12	50	16718	Q50MR16/HIR/CG10	3000	5000		15000	\$6.00
GE	Precise IR	MR16	25°	12	50	16719	Q50MR16/HIR/CG25	3000	5000		5700	\$6.00
GE	Precise IR	MR16	40°	12	50	16720	Q50MR16/HIR/CG40	3000	5000		2600	\$6.00
GE	WATT MISER	Metal-Halide			360	40053	MVR360VBU/WM/XHO	4200	20000	37000 / 24000		\$10.00
GE	WATT MISER	Metal-Halide			360	40055	MVR360C/VBUWMXHO	4000	20000	35000 / 23000		\$10.00
GE	WATT MISER	Metal-Halide			360	40056	MPR360VBUWM/HO/O	4000	20000	36000 / 23500		\$10.00
GE	WATT MISER	Metal-Halide			360	11685	MPR360CVBUWMHO/O	3700	20000	35000 / 22500		\$10.00
GE	WATT MISER	Metal-Halide			150	13481	MVR150/U/WM	4000	7500H / 10000V	7200H / 8500V		\$10.00
GE	WATT MISER	Metal-Halide			150	13490	MVR150/C/U/WM	3700	7500H / 10000V	6900H / 8000V		\$10.00